

Operation Manual

Congratulations on the purchase of TM SVEN extension reel!

COPYRIGHT

© 2013. SVEN Company Ltd. Version 1.0 (V 1.0).

This Manual and information contained in it are copyrighted. All rights reserved.

TRADEMARKS

All trademarks are the property of their legal holders.

NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information in this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damage, which has arisen from the information contained in this Manual.

PURPOSE

SVEN TRIDENT MAX extension reel is designed for easy-to-use connection of household and computer equipment to power supply network.

FEATURES

- Easy-to-use and safe connection
- Flexible reliable cord
- Automatic overheat protection
- Conductor material – pure copper $3 \times 1.5 \text{ mm}^2$
- Four CEE 7/4 sockets
- Child safety shutters in sockets

SAFETY PRECAUTIONS

- Do not connect the extension reel to power mains with overrating voltage.
- Do not connect simultaneously the load to the extension reel with total power more than 3500 W.
- Do not use in places with possible ingress of liquid, moisture, dust and high temperature exposure.
- Do not open and do not make any repairs by yourself.
- It is recommended to connect the extension reel to the grounded power mains.

TECHNICAL SPECIFICATIONS

Rated voltage, V	220
Operating frequency, Hz	50
Total connected load power, kW	≤ 3.5
Temperature fuse operating current, A	6 - 16
Input plug	CEE 7/4
Output sockets	4 × CEE 7/4
Cable length, m	20

Note. Technical specifications given in this table are supplemental information and cannot give occasion to claims. TM SVEN production is improved constantly, therefore Technical Specifications are subject to change without prior notice.