

**SVEN**<sup>®</sup>  
YOU WANT - WE CAN

Stereo Headphones with  
Vibration Subwoofer

## USER'S MANUAL



**AP-880**

[www.sven.fi](http://www.sven.fi)

## ***Congratulations on your purchase of the SVEN headphones!***

### **APPLICATION**

Sven AP-880 stereo headphones with a vibration subwoofer are designed for operation with PC sound cards and other compatible systems.

### **SAFETY PRECAUTIONS**

- Don't use the stereo headphones while driving.
- Don't use the stereo headphones at high volume for a long time (more than 15 minutes), as this may cause hearing impairment.

### **SPECIAL FEATURES**

- 2\*3.5 mm (3 pin) connector for connection to PC
- Built-in amplifier
- Vibration subwoofer and volume control
- Rotary microphone holder
- Leather ear cushions
- Adjustable headband
- High-strength cable
- SVEN PNC passive noise cancelling system

### **VIBRATION SUBWOOFER CONSTRUCTION**

- ① Vibration Mode: vibration subwoofer mode switch
- ② Volume: volume control wheel
- ③ Vibration LED: vibration subwoofer On LED
- ④ Battery compartment cover




Fig. 1

**INSTALLATION AND OPERATION GUIDE**

• **Installation of batteries.** Open the battery compartment cover ④, observing polarity, install two AAA-type batteries (not included), close the compartment.

• **Volume control.** Turning the control wheel ②, set the necessary volume level.

• **Vibration subwoofer level switch.** Using the slide switch ①, select the vibration subwoofer operation mode:

OFF: vibration subwoofer function and LED ③ are off, the headphones reproduce sound without vibration.

I: vibration subwoofer function is on, the LED ③ is on, vibration level is weak.

II: vibration subwoofer function is on at maximum level, the LED ③ is on, vibration level is strong.

**Note.** *The vibration subwoofer doesn't operate without batteries installed.*

**TECHNICAL SPECIFICATIONS**

Parameter, measurement unit	Value
Sensitivity, dB	headphones: $100 \pm 4$ microphone: $-60 \pm 3$
Frequency range, Hz	headphones: 20 – 20,000 microphone: 40 – 18,000
Membrane, mm	Ø 40
Connector type	Ø 2*3.5 mm (3 pin) stereo mini jack
Cable length, m	2.4
Weight, g	295

**Notes:**

• **Technical specifications given in this table are supplemental information and cannot give occasion to claims.**

• **Technical specifications are subject to change without notice due to improvement of SVEN production.**

*Technical support is on сайт [www.sven.fi](http://www.sven.fi).*

## Stereo Headphones with Vibration Subwoofer

**SVEN**®  
YOU WANT – WE CAN



**Модель: AP-880**

Импортер в России: ООО «СКАНДИТРЕЛ», 111024,  
РФ, г. Москва, ул. Авиамоторная, д. 65, стр. 1.

Уполномоченная организация в России:  
ООО «РТ-Ф», 105082, г. Москва, ул. Фридриха  
Энгельса, д. 75, стр. 5.

Условия гарантийного обслуживания смотрите  
в гарантийном талоне или на сайте **www.sven.fi**.

Гарантийный срок: 12 мес. Срок службы: 2 года.

Производитель: «СВЕН ПТЕ. Лимитед»,  
176 Джу Чиат Роуд, № 02-02, Сингапур, 427447.

Произведено под контролем «Свен Скандинавия  
Лимитед», 48310, Финляндия, Котка,  
Котолахдентие, 15. Сделано в Китае.

Manufacturer: SVEN PTE. LTD, 176 Joo Chiat Road,  
№ 02-02, Singapore, 427447. Produced under the  
control of Oy Sven Scandinavia Ltd. 15, Kotolahdentie,  
Kotka, Finland, 48310. Made in China.

® Registered Trademark of Oy SVEN  
Scandinavia Ltd. Finland.

**AP-880**