

# **USER'S MANUAL**



www.sven.fi

### User's Manual

# RX-360 ART WIRELESS

### Congratulations on your purchase of the SVEN PC mouse!

Please read the following instructions carefully before connecting, operating or adjusting this product. Besides, please keep this Manual in a safe place for future reference.

#### COPYRIGHT

© 2014. SVEN PTE. LTD. Version 1.0 (V 1.0).

This Manual and information contained in it are copyrighted. All rights reserved.

### TRADEMARKS

All trademarks are the property of their legal holders.

#### NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information in this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damage which has arisen from the information contained in this Manual.

#### CONTENTS

1. SPECIAL FEATURES	2
2. PACKAGE CONTENTS	2
3. SYSTEM REQUIREMENTS	2
4. DESCRIPTION	з
5. INSTALLATION	з
6. TROUBLESHOOTING	6
7. TECHNICAL SPECIFICATIONS	6





#### 1. FEATURES

- Blue LED advanced optical technology
- · Stylish ergonomic design
- 2.4 GHz USB nano receiver included (range of action up to 10 m)
- · Effective on most surfaces
- · High speed operation
- Resolution 1200 dpi
- USB interface
- · Battery long service life (1 year)
- Installation drivers for Windows XP/Vista/7/8 are not required
- · Convenient with laptops

### 2. PACKAGE CONTENTS

- Optical mouse 1 pc
- 2.4 GHz USB nano receiver 1 pc
- AA battery 1 pc
- User's Manual 1 pc
- Warranty card 1 pc

#### **3. SYSTEM REQUIREMENTS**

- Windows XP/Vista/7/8.
- Free USB port.

# User's Manual

### 4. DESCRIPTION

- Scroll wheel
- ② ON/OFF power switch
- ③ Battery compartment
- ④ Optical sensor
- ⑤ Nano receiver
- ⑥ USB connector




Fig. 2. Bottom view

# RX-360 ART WIRELESS




Fig. 1. Top view



Fig. 3. Nano receiver

### 5. PREPARATION TO OPERATION

• Open the cover of the mouse battery compartment ③, insert the AA battery into the battery compartment observing the polarity and close the cover of the battery compartment (see Fig. 4).

Connect the included nano receiver (5) to a free PC USB port (Fig. 5).



 Switch on the mouse with the power switch ② (ON position). Press any button of the mouse or rotate the scroll wheel to activate the mouse. If the mouse has been connected correctly, it will be switched on automatically.



Fig. 4. Battery installation



Fig. 5. Receiver connection

# User's Manual

# **RX-360 ART** WIRELESS

 After finishing your work switch off the mouse with the power switch (2) (OFF position). After this you can extract the receiver (5) from the PC USB port and insert it into the mouse (Fig. 6). When using the receiver again. extract it from the mouse (Fig. 7) and connect it to the PC USB port again.

. Do not place the receiver in a metal confined space (table drawer, box, safe), as metal screen does not transmit radio signals.

. If the battery is discharged, the mouse works by fits. It means that the battery should be replaced with a new one, as it is shown in Fig. 4.



Fig. 6. Fitting the receiver into the mouse case



Fig. 7. Extraction of the receiver from the mouse case



A Important \_

This device meets the highest standards of energy conservation. Use the switch (2) on the bottom of the mouse to switch it on/off it will help you to extend the mouse battery life.



### 6. TROUBLESHOOTING

Problem	Solution
The mouse does not work.	<ol> <li>Make sure that the nano receiver has been inserted into a USB port and its distance to the mouse is less than 10 m.</li> <li>Check whether the battery has been installed correctly.</li> <li>Check if the battery is charged, replace the battery with new one if necessary.</li> <li>Address the nearest authorized service center.</li> </ol>

### 7. TECHNICAL SPECIFICATIONS

Parameter	Value
OS compatibility	Windows XP/Vista/7/8
Mouse type	wireless 2.4 GHz
Resolution, dpi	1200
Quantity of buttons	2 + 1 (scroll wheel)
Interface	USB
Dimensions, mm	94 × 40 × 58
Weight, g	79

#### Notes:

• Technical specifications given in this table are supplemental information and cannot give occasion to claims.

• Technical specifications are subject to change without notice due to the improvement of SVEN production.





#### Модель: RX-360 Art Wireless

Импортер в России: ООО «СКАНДИТРЕЛ», 111024, РФ, г. Москва, ул. Авиамоторная, д. 65, стр. 1. Уполномоченная организация в России: ООО «РТ-Ф», 105082, г. Москва, ул. Фридриха Энгельса, д. 75, стр. 5.

Условия гарантийного обслуживания смотрите в гарантийном талоне или на сайте **www.sven.fi**. Гарантийный срок: 12 мес. Срок службы: 2 года. Производитель: «СВЕН ПТЕ. Лимитед», 176 Джу Чиат Роуд. № 02-02, Сингалур, 427447. Произведено под контролем «Свен Скандинавия Лимитед», 43310, Финляндия, Котка, Котолахдентие, 15. Сделано в Китае.

Manufacturer: SVEN PTE. LTD, 176 Joo Chiat Road, Nº 02-02, Singapore, 427447. Produced under the control of Oy Sven Scandinavia Ltd. 15, Kotolahdentie, Kotka, Finland, 48310. Made in China.

® Registered Trademark of Oy SVEN Scandinavia Ltd. Finland. RX-360 ART WIRELESS